

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office.....~~MAR 30 1972~~ New Priority Date NOV 12 1985
Returned to applicant for correction.....
Corrected application filed.....MAY 11 1972
Map filed.....MAR 30 1972

The applicant.....County Water Company, Inc.
of.....11829 E. 163rd Street....., County of.....Norwalk
State of.....California 90650....., hereby make^s application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.) Incorporated Feb. 9, 1972 in
Carson City, Nevada President - John Erickson Vice President - M. H. Armstrong
Sec. - Treas. - Marlyn J. Erickson

1. The source of the proposed appropriation is.....an underground source.....

Name of stream, lake or other source.
2. The amount of water applied for is.....3.73.....second-feet

One second-foot equals 448.83 gals. per min.

 - (a) If stored in reservoir give number of acre-feet.....acre-feet
3. The water to be used for.....Quasi-Municipal use.....

Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated).....
 - (b) Stockwater (state number and kinds of animals to be watered).....
 - (c) Other use (describe fully under "No. 12. Remarks").....described under No. 12
 - (d) Power:
 - (1) Horsepower developed.....
 - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: Govt. Lot 1, Sec.16, T.9N.,
R.29E., M.D.B.&M. or at a point from which the NW Corner of said Sec.16

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
it should be stated.

bears N 77°46'28" W a distance of 1308.99 feet
6. Place of use.....The SE¼SE¼; SW¼SE¼; NW¼SE¼; NE¼SE¼; and government lot No. 3 all of

Describe by legal subdivision, if on unsurveyed land it should be so stated.

Sec.8, T.9N., R.29E., M.D.B.&M.; government lots No. 1 and 2 of Sec.9 T.9N.,
R.29E., M.D.B.&M. government lot No. 1 of Sec.16, T.9N., R.29E., M.D.B.&M.;
The NE¼NE¼ Sec.17, T.9N., R.29E., M.D.B.&M.
7. Use will begin about Jan. 1.....and end about Dec. 31....., of each year.

Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
and specifications of your diversion or storage works.).....Water is to be diverted from the
well by pump through an underground pipe line system.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....
10. Estimated time required to construct works.....
11. Estimated time required to complete the application to beneficial use.....
12. Remarks (4 C) use is for residential & commercial domestic use in
described area, about 1675 dwellings.

Applicant County Water Co., Inc.

By s/ Robert L. Fuller (Agent)
P. O. Box 517
Carson City Nev. 89701

Compared ga/jw ga/lk

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permit 26714 shall not exceed 611.3 million gallons per year.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.73 cubic feet per second, the total combined duty of water under this permit and Permit 26714 shall not exceed 611.3 million gallons per year.

Actual construction work shall begin on or before August 13, 1973
Proof of commencement of work shall be filed before September 13, 1973
Work must be prosecuted with reasonable diligence and be completed on or before August 13, 1974
Proof of completion of work shall be filed before September 13, 1974
Application of water to beneficial use shall be made on or before August 13, 1977
Proof of the application of water to beneficial use shall be filed on or before September 13, 1977
Map in support of proof of beneficial use shall be filed on or before September 13, 1977

Commencement of work filed OCT 15 1973
Completion of work filed OCT 15 1973
Proof of beneficial use filed
Cultural map filed
Certificate No. Issued
Recorded Bk. Page
County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 13th day of February

A.D. 1973
Roland D. Westergard
State Engineer

CANCELLED 70 OCT 24 1986 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
rescinded 1-21-86